

PROTECT YOUR HOME WITH THE DORPLEX

HIGH SECURITY

STEEL FRAMED REPLACEMENT DOOR SYSTEM

Insulated heavy gauge steel door with your choice of decorative glass inserts.



Steel frames adapt to existing openings for easy installation.

Armour Guard Lock block reinforces critical lock area.


Dorplex High Security Steel Framed Replacement Door systems keep the existing wood frame intact, making your installation quicker and easier.

Pre-punched steel frame is reinforced for optimal safety.




3 STEPS


TO ORDER YOUR NEW DORPLEX REPLACEMENT DOOR



- 1 Measure the inside height (B) from head to finished floor in 3 different places. Use the smallest measurement to order the door height.



- 2 Measure opening width (A) in 3 places. Use the narrowest measurement to order width size.



- 3 Specify left or right opening as viewed from the outside.

MEASUREMENTS AND PREPARATION

IF YOUR EXISTING FRAME MEASURES BETWEEN:		ORDER THIS DOOR SIZE:
Width: min-max	Width: min-max	Width: min-max
29-1/2" - 30-1/2"	80" - 80-1/2"	2' 6" x 6' 8"
31-1/2" - 32-1/2"	80" - 80-1/2"	2' 8" x 6' 8"
33-1/2" - 34-1/2"	80" - 80-1/2"	2' 10" x 6' 8"
33-1/2" - 34-1/2"	80" - 82-1/2"	2' 10" x 6' 10"
35-1/2" - 36-1/2"	80" - 80-1/2"	2' 0" x 6' 8"
35-1/2" - 36-1/2"	80" - 84-1/2"	2' 0" x 7' 0"

LOCK PREPARATION

- 2' 6" and 2' 8" widths are 2 3/8" backset.
- 2' 10" and 3' 0" widths are 2 3/4" backset.
- 5 1/2" from the centre of deadbolt to centre of passage
- All 2' 10" and 3' 0" doors come pre-drilled to accept passage and deadbolt locks
- 2' 6" B, G+L doors cannot be drilled for dead bolt hole.
- 2' 8" B doors with large glass can be drilled for dead bolt hole only if Weiser heavy duty dead bolt is used.

ADVANTAGES OF A STEEL REPLACEMENT DOOR

High Security

- Heavy steel frame securely installs into existing opening
- Passage and deadbolt latches secured by steel frame
- Armour Guard Lock Block- minimum 12' long - for extra reinforcement

Cost Effective

- Faster & easier to install
- No need to purchase or replace a storm door
- No need to purchase brickmould
- No need to purchase nails, screws, or shims. All items are included
- No need to "rip out" existing wood frame
- No need for expensive build down during installation.
- Never damage existing drywall

Pre-Finished Options

- Factory painted: Includes glass frame, wood stops, door & steel frame.
- Vinyl coated: Rugged vinyl coating in white or wood colour on door.
- Includes factory painted steel frame, wood stops and glass frame.

